Brain Research, 421 (1987) 406–408
Elsevier

Author Index

Ache, B.W., see Derby, C.D., 57
Aihara, H., see Kamata, K., 353
Albeck, D., see Cach, R.L., 370
Aloyo, V.J., see Navarro, H.A., 291
Amador, A.G., see Fernandez-Ruiz, J.J., 65
Anderson, C.D., see Langlais, P.J., 140
Argiolas, A., Melis, M.R., Mauri, A. and Gessa, G.L., Paraventricular nucleus lesion prevents yawning and penile erection induced by apomorphine and oxytocin but not by ACTH in rats, 349
Ariono, M.A., Comparison of dopamine sites in the rat superior cervical ganglion and caudate nucleus, 245

Balthazart, J., see Deviche, P., 105
Barnhardt, R., see See, W.R., 363
Bartholini, G., see Oblin, A., 387
Bartke, A., see Fernandez-Ruiz, J.J., 65
Beer, C.T., see Emanuele, N.V., 255
Beitz, A.J., see Clements, J.R., 343
Benavides, J., Fage, D., Carter, C. and Scatton, B., Peripheral type benzodiazepine binding sites are a sensitive indirect index of neuronal damage, 167
Birchem, R., Mithen, F.A., L'Empereur, K.M. and Wessels, M.M., Ultrastructural effects of Guillain–Barré serum in cultures containing only rat Schwann cells and dorsal root ganglion neurons, 173
Bockaert, J., see Eybalin, M., 336
Braun, G.H.-U., see Michelson, D.B., 14
Buchholz, R.A., see Hubbard, J.W., 226
Byerley, W.F., McConnell, E.J., Dawson, T.M., Grosser, B.I., Wamsley, J.K. and Tyler McCabe, R., Chronic administration of sertraline, a selective serotonin uptake inhibitor, decreased in the density of β-adrenergic receptors in rat frontoparietal cortex, 377

Cach, R.L., Smock, T., Albeck, D. and Florence, E., Neurogenic mediation of serum-induced microvascular constriction, 370
Calas, A., see Onteniente, B., 391
Carr, W.E.S., see Derby, C.D., 57
Carter, C., see Benavides, J., 167
Christakos, C.N., see See, W.R., 363
Chubb, I.W., see Millar, T.J., 297
Clarke, D., Ramaswamy, A., Holmes, L., Mudd, L., Poulakos, J. and Raizada, M.K., Phorbol esters stimulate 2-deoxyglucose uptake in glia, but not neurons, 358
Clements, J.R., Monaghan, P.L. and Beitz, A.J., An ultrastructural description of glutamate-like immunoreactivity in the rat cerebellar cortex, 343
Code, R.A., Seroogy, K.B. and Fallon, H.J., Some transforming growth factor–alpha connections and their colocalization with enkephalin in the rat central nervous system, 401
Cohen, M.I., see See, W.R., 363
Cottingham, S.L. and Pfaff, D.W., Electrical stimulation of the midbrain central gray facilitates lateral vestibulospinal activation of back muscle EMG in the rat, 397
Cutcliffe, N. and Osborne, N.N., Serotonergic and cholinergic stimulation of inositol phosphate formation in the rabbit retina. Evidence for the presence of serotonin and muscarinic receptors, 95

Dawson, T.M., see Byerley, W.F., 377
De Vellis, J., see Wu, D.K., 186
Delhaye-Bouchaud, N., see Mariani, J., 211
Delhaye-Bouchaud, N., see Mulle, C., 194
Delville, Y., see Deviche, P., 105
Derby, C.D., Ache, B.W. and Carr, W.E.S., Purinergic modulation in the brain of the spiny lobster, 57
Deviche, P., Delville, Y. and Balthazart, J., Central and peripheral metabolism of 5α-dihydrotestosterone in the male Japanese quail: biochemical characterization and relationship with reproductive behavior, 105
Distel, H., see Hudson, R., 85

Eckland, D.J.A. and Lightman, S.L., Neurotensin in hypothalamo-hypophyseal portal blood, 161
Emanuele, N.V., Metcalfe, L., Wallock, L., Tentler, J., Hagen, T.C., Beer, C.T., Martinson, D., Gout, P.W., Kirsteins, L. and Lawrence, A.M., Extrahypothalamic brain prolactin: characterization and evidence for independence from pituitary prolactin, 255
Esquifino, A.I., see Fernandez-Ruiz, J.J., 65
Eybalin, M., Pujol, R. and Bockaert, J., Opioid receptors inhibit the adenylate cyclase in guinea pig cochleas, 336

Fage, D., see Benavides, J., 167
Fallon, H.J., see Code, R.A., 401
Fernandez-Ruiz, J.J., Esquifino, A.I., Steger, R.W., Amador, A.G. and Bartke, A., Presence of tyrosine-hydroxylase activity in anterior pituitary adenomas and ectopic anterior pituitaries in male rats, 65
Fischette, C.T., Nock, B. and Renner, K., Effects of 5,7-dihydroxytryptamine on serotonin$_1$ and serotonin$_2$ receptors throughout the rat central nervous system using quantitative autoradiography, 263
Fleck, D.L., see Morley, B.J., 21
Flood, J.F., Hernandez, E.N. and Morley, J.E., Modulation of memory processing by neuropeptide Y, 280
Florence, E., see Cach, R.L., 370

Garritano, A.M., see Kumar, K., 309
Geffard, M., see Onteniente, B., 391
Geoffroy, B., see Mariani, J., 211
Gessa, G.L., see Argiolas, A., 349
Gout, P.W., see Emanuele, N.V., 255
Grosser, B.I., see Byerley, W.F., 377

Hagen, T.C., see Emanuele, N.V., 255
Hanin, I., see Hörtnagl, H.,75
Hashimoto, S., see Kamata, K., 353
Hayashi, K., see Sandner, G., 150
Hernandez, E.N., see Flood, J.F., 280
Herz, A., see Nikolarakis, K., 373
Hicks, T.P., Jason, G.W. and Locock, R.A., Is octopamine a

Brain Research, 421 (1987) 406–408
Elsevier

Author Index

Ache, B.W., see Derby, C.D., 57
Aihara, H., see Kamata, K., 353
Albeck, D., see Cach, R.L., 370
Aloyo, V.J., see Navarro, H.A., 291
Amador, A.G., see Fernandez-Ruiz, J.J., 65
Anderson, C.D., see Langlais, P.J., 140
Argiolas, A., Melis, M.R., Mauri, A. and Gessa, G.L., Paraventricular nucleus lesion prevents yawning and penile erection induced by apomorphine and oxytocin but not by ACTH in rats, 349
Ariono, M.A., Comparison of dopamine sites in the rat superior cervical ganglion and caudate nucleus, 245

Balthazart, J., see Deviche, P., 105
Barnhardt, R., see See, W.R., 363
Bartholini, G., see Oblin, A., 387
Bartke, A., see Fernandez-Ruiz, J.J., 65
Beer, C.T., see Emanuele, N.V., 255
Beitz, A.J., see Clements, J.R., 343
Benavides, J., Fage, D., Carter, C. and Scatton, B., Peripheral type benzodiazepine binding sites are a sensitive indirect index of neuronal damage, 167
Birchem, R., Mithen, F.A., L'Empereur, K.M. and Wessels, M.M., Ultrastructural effects of Guillain–Barré serum in cultures containing only rat Schwann cells and dorsal root ganglion neurons, 173
Bockaert, J., see Eybalin, M., 336
Braun, G.H.-U., see Michelson, D.B., 14
Buchholz, R.A., see Hubbard, J.W., 226
Byerley, W.F., McConnell, E.J., Dawson, T.M., Grosser, B.I., Wamsley, J.K. and Tyler McCabe, R., Chronic administration of sertraline, a selective serotonin uptake inhibitor, decreased in the density of β-adrenergic receptors in rat frontoparietal cortex, 377

Cach, R.L., Smock, T., Albeck, D. and Florence, E., Neurogenic mediation of serum-induced microvascular constriction, 370
Calas, A., see Onteniente, B., 391
Carr, W.E.S., see Derby, C.D., 57
Carter, C., see Benavides, J., 167
Christakos, C.N., see See, W.R., 363
Chubb, I.W., see Millar, T.J., 297
Clarke, D., Ramaswamy, A., Holmes, L., Mudd, L., Poulakos, J. and Raizada, M.K., Phorbol esters stimulate 2-deoxyglucose uptake in glia, but not neurons, 358
Clements, J.R., Monaghan, P.L. and Beitz, A.J., An ultrastructural description of glutamate-like immunoreactivity in the rat cerebellar cortex, 343
Code, R.A., Seroogy, K.B. and Fallon, H.J., Some transforming growth factor–alpha connections and their colocalization with enkephalin in the rat central nervous system, 401
Cohen, M.I., see See, W.R., 363
Cottingham, S.L. and Pfaff, D.W., Electrical stimulation of the midbrain central gray facilitates lateral vestibulospinal activation of back muscle EMG in the rat, 397
Cutcliffe, N. and Osborne, N.N., Serotonergic and cholinergic stimulation of inositol phosphate formation in the rabbit retina. Evidence for the presence of serotonin and muscarinic receptors, 95

Dawson, T.M., see Byerley, W.F., 377
De Vellis, J., see Wu, D.K., 186
Delhaye-Bouchaud, N., see Mariani, J., 211
Delhaye-Bouchaud, N., see Mulle, C., 194
Delville, Y., see Deviche, P., 105
Derby, C.D., Ache, B.W. and Carr, W.E.S., Purinergic modulation in the brain of the spiny lobster, 57
Deviche, P., Delville, Y. and Balthazart, J., Central and peripheral metabolism of 5α-dihydrotestosterone in the male Japanese quail: biochemical characterization and relationship with reproductive behavior, 105
Distel, H., see Hudson, R., 85

Eckland, D.J.A. and Lightman, S.L., Neurotensin in hypothalamo-hypophyseal portal blood, 161
Emanuele, N.V., Metcalfe, L., Wallock, L., Tentler, J., Hagen, T.C., Beer, C.T., Martinson, D., Gout, P.W., Kirsteins, L. and Lawrence, A.M., Extrahypothalamic brain prolactin: characterization and evidence for independence from pituitary prolactin, 255
Esquifino, A.I., see Fernandez-Ruiz, J.J., 65
Eybalin, M., Pujol, R. and Bockaert, J., Opioid receptors inhibit the adenylate cyclase in guinea pig cochleas, 336

Fage, D., see Benavides, J., 167
Fallon, H.J., see Code, R.A., 401
Fernandez-Ruiz, J.J., Esquifino, A.I., Steger, R.W., Amador, A.G. and Bartke, A., Presence of tyrosine-hydroxylase activity in anterior pituitary adenomas and ectopic anterior pituitaries in male rats, 65
Fischette, C.T., Nock, B. and Renner, K., Effects of 5,7-dihydroxytryptamine on serotonin$_1$ and serotonin$_2$ receptors throughout the rat central nervous system using quantitative autoradiography, 263
Fleck, D.L., see Morley, B.J., 21
Flood, J.F., Hernandez, E.N. and Morley, J.E., Modulation of memory processing by neuropeptide Y, 280
Florence, E., see Cach, R.L., 370

Garritano, A.M., see Kumar, K., 309
Geffard, M., see Onteniente, B., 391
Geoffroy, B., see Mariani, J., 211
Gessa, G.L., see Argiolas, A., 349
Gout, P.W., see Emanuele, N.V., 255
Grosser, B.I., see Byerley, W.F., 377

Hagen, T.C., see Emanuele, N.V., 255
Hanin, I., see Hörtnagl, H.,75
Hashimoto, S., see Kamata, K., 353
Hayashi, K., see Sandner, G., 150
Hernandez, E.N., see Flood, J.F., 280
Herz, A., see Nikolarakis, K., 373
Hicks, T.P., Jason, G.W. and Locock, R.A., Is octopamine a

'false transmitter'? Regional distribution and serial changes in octopamine and noradrenaline following locus coeruleus lesions, 315
Hill, J.M., see Ostrowski, N.L., 1
Holmes, L., see Clarke, D., 358
Hubbard, J.W., Buchholz, R.A., Keeton, T.K. and Nathan, M.A., Parabrachial lesions increase plasma norepinephrine concentration, plasma renin activity and enhance baroreflex sensitivity in the conscious rat, 226
Hudson, R. and Distel, H., Regional autonomy in the peripheral processing of odor signals in newborn rabbits, 85
Hyde, J.F. and Jerussi, T.P., Unilateral cerebral drug administration; pharmacokinetics of haloperidol and amphetamine, 117
Hörtnagl, H., Potter, P.E. and Hanin, I., Effect of cholinergic deficit induced by ethylcholine aziridinium (AF64A) on noradrenergic and dopaminergic parameters in rat brain, 75

Ikeda, M., see Michael, A.C., 325
Inomata, H., see Kubota, T., 30
Insel, T.R., see Marangos, P.J., 69

Jason, G.W., see Hicks, T.P., 315
Jerussi, T.P., see Hyde, J.F., 117
Justice Jr., J.B., see Michael, A.C., 325

Kamata, K., Okuyama, S., Hashimoto, S., Kumura, M.-A., Aihara, H. and Kasuya, Y., Atrophy of the striatum and motor disturbance induced by colchicine, 353
Kanaseki, T., see Kubota, T., 30
Kasuya, Y., see Kamata, K., 353
Keeton, T.K., see Hubbard, J.W., 226
Kirsteins, L., see Emanuele, N.V., 255
Koestner, A., see Kumar, K., 309
Krause, G., see Kumar, K., 309
Kubota, T., Morimoto, M., Kanaseki, T. and Inomata, H., Projection from the pretectal nuclei to the dorsal lateral geniculate nucleus in the cat: a wheat germ agglutinin–horseradish peroxidase study, 30
Kumar, K., White, B., Krause, G., Garritano, A.M. and Koestner, A., Cerebral endothelial microvilli following global brain ischemia in dogs, 309
Kumura, M.-A., see Kamata, K., 353

L'Empereur, K.M., see Birchem, R., 173
Langlais, P.J., Mair, R.G., Anderson, C.D. and McEntee, W.J., Monoamines and metabolites in cortex and subcortical structures: normal regional distribution and the effects of thiamine deficiency in the rat, 140
Lawrence, A.M., see Emanuele, N.V., 255
Le Moal, M., see Onteniente, B., 391
Lightman, S.L., see Eckland, D.J.A., 161
Locock, R.A., see Hicks, T.P., 315

Mackler, S.A., see Yin, H.-S., 48
Mair, R.G., see Langlais, P.J., 140
Marangos, P.J., Insel, T.R., Montgomery, P. and Tamborska, E., Brain adenosine receptors in Maudsley reactive and nonreactive rats, 69
Mariani, J., Mulle, C., Geoffroy, B. and Delhaye-Bouchaud, N., Peripheral maps and synapse elimination in the cerebellum of the rat. II. Representation of peripheral inputs through the climbing fiber pathways in the posterior vermis of X-irradiated adult rats, 211
Mariani, J., see Mulle, C., 194
Martin, D.L., see Spink, D.C., 235
Martinson, D., see Emanuele, N.V., 255
Mauri, A., see Argiolas, A., 349
McConnell, E.J., see Byerley, W.F., 377
McEntee, W.J., see Langlais, P.J., 140
Melis, M.R., see Argiolas, A., 349
Metcalfe, L., see Emanuele, N.V., 255
Michael, A.C., Ikeda, M. and Justice Jr., J.B., Mechanisms contributing to the recovery of striatal releasable dopamine following MFB stimulation, 325
Michelsen, D.B. and Braun, G.H.-U., Circling behavior in honey bees, 14
Millar, T.J. and Chubb, I.W., The ultrastructural localization of acetylcholinesterase-like immunoreactivity in the chicken retina, 297
Mithen, F.A., see Birchem, R., 173
Monaghan, P.L., see Clements, J.R., 343
Montgomery, P., see Marangos, P.J., 69
Morimoto, M., see Kubota, T., 30
Morley, B.J. and Fleck, D.L., A time course and dose–response study of the regulation of brain nicotinic receptors by dietary choline, 21
Morley, J.E., see Flood, J.F., 280
Mudd, L., see Clarke, D., 358
Mulle, C., Delhaye-Bouchaud, N. and Mariani, J., Peripheral maps and synapse elimination in the cerebellum of the rat. I. Representation of peripheral inputs through the climbing fiber pathways in posterior vermis of the normal adult rat, 194
Mulle, C., see Mariani, J., 211

Nathan, M.A., see Hubbard, J.W., 226
Navarro, H.A., Aloyo, V.J., Rush, M.E. and Walker, R.F., Serotonin pharmacodynamics in hypothalamic tissues from young and old female rats, 291
Nikolarakis, K., Pfeiffer, A., Stalla, G.K. and Herz, A., The role of CRF in the release of ACTH by opiate agonists and antagonists in rats, 373
Nock, B., see Fischette, C.T., 263

Oblin, A., Zivkovic, B. and Bartholini, G., Selective antagonists of dopamine receptor subtypes differentially affect substance P levels in the striatum and substantia nigra, 387
Okuyama, S., see Kamata, K., 353
Onteniente, B., Simon, H., Taghzouti, K., Geffard, M., Le Moal, M. and Calas, A., Dopamine–GABA interactions in the nucleus accumbens and lateral septum of the rat, 391
Osborne, N.N., see Cutcliffe, N., 95
Ostrowski, N.L., Hill, J.M., Pert, C.B. and Pert, A., Autoradiographic visualization of sex differences in the pattern and density of opiate receptors in hamster hypothalamus, 1

Pert, A., see Ostrowski, N.L., 1
Pert, C.B., see Ostrowski, N.L., 1
Pfaff, D.W., see Cottingham, S.L., 397
Pfeiffer, A., see Nikolarakis, K., 373
Porter, T.G., see Spink, D.C., 235
Potter, P.E., see Hörtnagl, H., 75
Poulakos, J., see Clarke, D., 358
Pujol, R., see Eybalin, M., 336

Raizada, M.K., see Clarke, D., 358
Ramaswamy, A., see Clarke, D., 358
Reid, K.H., see Schurr, A., 135

Reiss, S.J., see Schurr, A., 135
Renner, K., see Fischette, C.T., 263
Rigor, B.M., see Schurr, A., 135
Rush, M.E., see Navarro, H.A., 291

Sandner, G., Hayashi, K. and Tsukada, M., Spike trains in rat periaqueductal gray depend on the stochastic properties of interacting electrical stimulation trains, 150
Scatton, B., see Benavides, J., 167
Schurr, A., West, C.A., Reid, K.H., Tseng, M.T., Reiss, S.J. and Rigor, B.M., Increased glucose improves recovery of neuronal function after cerebral hypoxia in vitro, 135
See, W.R., Cohen, M.I., Barnhardt, R. and Christakos, C.N., Intracellular potentials and discharge of expiratory neurons in the caudal ventral respiratory group: influence of phasic pulmonary afferent input, 363
Selzer, M.E., see Yin, H.-S., 48
Seroogy, K.B., see Code, R.A., 401
Simon, H., see Onteniente, B., 391
Smock, T., see Cach, R.L., 370
Spink, D.C., Porter, T.G., Wu, S.J. and Martin, D.L., Kinetically different, multiple forms of glutamate decarboxylase in rat brain, 235
Stalla, G.K., see Nikolarakis, K., 373
Stanley, E.F., Light microscopic visualisation of the presynaptic nerve terminal calyx in dissociated chick ciliary ganglion neurons, 367
Steger, R.W., see Fernandez-Ruiz, J.J., 65
Szulczyk, A. and Szulczyk, P., Spinal segmental preganglionic outflow to cervical sympathetic trunk and postganglionic cardiac sympathetic nerves, 127
Szulczyk, P., see Szulczyk, A., 127

Taghzouti, K., see Onteniente, B., 391
Tamborska, E., see Marangos, P.J., 69
Tentler, J., see Emanuele, N.V., 255
Thompson, A.M. and Thompson, G.C., Efferent projections from posteroventral cochlear nucleus to lateral superior olive in guinea pig, 382
Thompson, G.C., see Thompson, A.M., 382
Tseng, M.T., see Schurr, A., 135
Tsukada, M., see Sandner, G., 150
Tyler McCabe, R., see Byerley, W.F., 377

Van Ree, J.M., see Wolterink, G., 41

Walker, R.F., see Navarro, H.A., 291
Wallock, L., see Emanuele, N.V., 255
Wamsley, J.K., see Byerley, W.F., 377
Wessels, M.M., see Birchem, R., 173
West, C.A., see Schurr, A., 135
White, B., see Kumar, K., 309
Wolterink, G. and Van Ree, J.M., The $ACTH_{4-9}$ analog ORG 2766 'normalizes' the changes in motor activities of rats elicited by housing and test conditions, 41
Wu, D.K. and De Vellis, J., The expression of the intermediate filament-associated protein (NAPA-73) is associated with the stage of terminal differentiation of chick brain neurons, 186
Wu, S.J., see Spink, D.C., 235

Yin, H.-S., Mackler, S.A. and Selzer, M.E., The axon reaction of lamprey spinal interneurons, 48

Zivkovic, B., see Oblin, A., 387